

1) Published and in-press reports:**<2018 - Current >**

Asayama K, Ohkubo T, Satoh A, Tanaka S, Higashiyama A, Murakami Y, Yamada M, Saitoh S, Okayama A, Miura K, Ueshima H, Miyamoto Y, Okamura T. Cardiovascular risk and blood pressure lowering treatment among elderly individuals: Evidence for cardiovascular prevention from observational cohorts in Japan. *J Hypertens*, 2018; 36(2): 410-8

Cologne J, Takahashi I, French B, Nanri A, Misumi M, Sadakane A, Cullings HM, Araki Y, Mizoue T. Association of weight fluctuation with ischemic heart disease mortality in a Japanese clinical cohort. *JAMA Netw Open*, 2019; 2(3):e190731. doi: 10.1001/jamanetworkopen.2019.0731

Grant EJ, Cologne JB, Sharp GB, Eguchi H, Stevens RG, Izumi S, Kim YM, Berrington de González A, Ohishi W, Nakachi K. Bioavailable serum estradiol may alter radiation risk of postmenopausal breast cancer: a nested case-control study. *Int J Radiat Biol*, 2018; 94(2): 97-105

Hasegawa M, Kitamura H, Ikegami K, Masuda M, Kakiuchi N, Matsushita T, Kuga H, Uchiyama T, Kurogi K, Mizuno M, Ogami A, Higashi T. The respiratory effects of toner exposure according to long-term occupational toner handling history: A longitudinal analysis, 2004 - 2013. *Int J Occup Med Env Health*, 2018; 31(6): 809-22

Hayashi T, Lynch HE, Geyer S, French B, Yoshida K, Furudo K, Sasaki K, Morishita Y, Nagamura H, Maki M, Hu Y, Hayashi I, Kyoizumi S, Kusunoki Y, Ohishi W, Fujiwara S, Shterev I, Nikolich-Zugich J, Murasko D, Sempowski G, Nakachi K. Influenza Vaccine Response among Hiroshima Atomic-bomb Survivors. *Hiroshima Igaku [J Hiroshima Med Assoc]*, 2018; 71(4): 278-81 (in Japanese)

Hayashi T, Lynch HE, Geyer SM, Yoshida K, Furudo K, Sasaki K, Morishita Y, Nagamura H, Maki M, Hu Y, Hayashi I, Kyoizumi S, Kusunoki Y, Ohishi W, Fujiwara S, Misumi M, Shterev I, Nikolich-Zugich J, Marasko D, Hale LP, Sempowski GD, Nakachi K. Impact of early life exposure to ionizing radiation on influenza vaccine response in an elderly Japanese cohort. *Vaccine*, 2018; 36(45): 6650-9

Hirata A, Sugiyama D, Watanabe M, Tamakoshi A, Iso H, Kotani K, Kiyama M, Yamada M, Ishikawa S, Murakami Y, Miura K, Ueshima H, Okamura T; Evidence for Cardiovascular Prevention from Observational Cohorts in Japan (EPOCH-JAPAN) Research Group. Association of extremely high levels of high-density lipoprotein cholesterol with cardiovascular mortality in a pooled analysis of nine cohort studies including 43,407 individuals: the EPOCH-JAPAN study. *J Clin Lipidol*, 2018 12(3), 674-84

Horie I, Ando T, Imaizumi M. Radiation thyroiditis. *Nihon Rinsho [Jpn J Clin Med]*, 2018; Suppl 1: 460-2 (in Japanese)

Imaizumi M, Furukawa K, Ohishi W, Hida A. Thyroid diseases among atomic bomb survivors. *Radiat Prot Dosimetry*, 2018; 182(1): 62-6

Imaizumi M, Sobue T, Taniguchi N, Miyakawa M, Momose T, Yoshinaga S, Kitamura H, Okubo T. Epidemiological study of health effects in Fukushima Emergency Workers: Focusing on thyroid cancer study. *Nagasaki Igakkai Zasshi [Nagasaki Med J]*, 2018; 93 (Special Issue): 261-3 (in Japanese)

Kajimura J, Lynch HE, Geyer SM, French B, Yamaoka M, Shterev ID, Sempowski GD, Kyoizumi S, Yoshida K, Misumi M, Ohishi W, Hayashi T, Nakachi K, Kusunoki Y. Radiation and age-associated changes in peripheral blood dendritic cell populations among aging atomic bomb survivors in Japan. *Radiat Res*, 2018; 189: 84-94

Kitamura H, Okubo T, Kodama K, on behalf of the Nuclear Emergency Workers Study Group. Epidemiological study of health effects in Fukushima nuclear emergency workers –study design and progress report. *Radiat Prot Dosimetry*, 2018; 182(1): 40-8

Kitamura H, Ogami A, Myojo T, Oyabu T, Ikegami K, Hasegawa M, Sugano R, Michii S, Ando H, Higashi T. Health Effects of Toner Exposure Among Japanese Toner-Handling Workers: A 10-Year Prospective Cohort Study. *J UOEH*, 2019; 41(1): 1-14.

Kiuchi Y, Yanagi M, Itakura K, Takahashi I, Hida A, Ohishi W, Furukawa K. Association between radiation, glaucoma subtype, and retinal vessel diameter in atomic bomb survivors. *Sci Rep*. 2019; 14;9(1):8642. doi: 10.1038/s41598-019-45049-7

Kurihara M, Tsuge M, Murakami E, Mori N, Ohishi W, Uchida T, Fujino H, Nakahara T, Abe-Chayama H, Kawaoka T, Miki D, Hiramatsu A, Imamura M, Kawakami Y, Aikata H, Ochi H, Zhang Y, Makokha GN, Hayes CN, Chayama K. The association between serum cytokine and chemokine levels and antiviral response by entecavir treatment in chronic hepatitis B patients. *Antivir Ther*, 2018; 23(3): 239-48

Maskarinec G, Sadakane A, Sugiyama H, Brenner A, Tatsukawa Y, Grant EJ. Type 2 Diabetes, obesity, and breast cancer risk among Japanese women of the atomic bomb survivors cohort. *Cancer Epidemiol*, 2019; 60:179-84

Meuwese CL, van Diepen M, Cappola AR, Sarnak MJ, Shlipak MG, Bauer DC, Fried LP, Iacoviello M, Vaes B, Degryse J, Khaw KT, Luben RN, Åsvold BO, Bjørø T, Vatten LJ, de Craen AJM, Trompet S, Iervasi G, Molinaro S, Ceresini G, Ferrucci L, Dullaart RPF, Bakker SJL, Jukema JW, Kearney PM, Stott DJ, Peeters RP, Franco OH, Völzke H, Walsh JP, Brenner A, Sgarbi JA, Maciel RMB, Imaizumi M, Ohishi W, Dekker FW, Rodondi N, Gussekloo J, den Elzen WPJ; Thyroid Studies Collaboration. Low thyroid function is not associated with an accelerated deterioration in renal function. *Nephrol Dial Transplant*, 2019; 34(4):650-9

Nakamizo T, Yamamoto M, Johkura K. Changes in stroke risk by freedom-from-stroke time in simulated populations with atrial fibrillation: Freedom-from-event effect when event itself is a risk factor. *PLoS One*, 2018; 13: e019430.

Ng SY, Yoshida N, Christie AL, Ghandi M, Dharia NV, Dempster J, Murakami M, Shigemori K, Morrow SN, Scoyk AV, Cordero NA, Stevenson KE, Puligandla M, Haas B, Lo C, Meyers R, Gao G, Cherniack A, Louissaint A JR, Nardi V, Thorner AR, Long H, Qiu X, Morgan EA, Dorfman DM, Fiore D, Jang J, Epstein AL, Dogan A, Zhang Y, Horwitz SM, Jacobsen ED, Santiago S, Ren J, Guerlavais V, Annis DA, Aivado M, Tsherniak A, Root D, Vazquez F, Hahn W, Inghirami G, Aster JC, Weinstock DM, Koch R. Targetable vulnerabilities in T- and NK-cell lymphomas identified through preclinical models. *Nat Commun*. 2018; 22: 9(1): 2024. doi: 10.1038/s41467-018-04356-9

Ozasa K, Cullings HM, Ohishi W, Hida A, Grant EJ. Epidemiological studies of atomic bomb radiation at the Radiation Effects Research Foundation. *Int J Radiat Biol*, 2019; 95(7):879-91

Shimizu M, Misumi M, Yamada M, Ohishi W, Yamamoto H, Kihara Y. Choice reaction time and grip strength as predictors of cardiovascular mortality in middle-aged and elderly Japanese: From the Radiation Effects Research Foundation Adult Health Study. *Intern Med J*, 2018; 48(11): 1331-6

Takahashi I, Cologne J, Haruta D, Yamada M, Takahashi T, Misumi M, Fujiwara S, Matsumoto M, Kihara Y, Hida A, Ohishi W. Association between prevalence of peripheral artery disease and radiation exposure in the atomic bomb survivors. *J Am Heart Assoc*, 2018; 7(23): e008921. doi: 10.1161/JAHA.118.008921

Tatsukawa Y, Misumi M, Kim YM, Yamada M, Ohishi W, Fujiwara S, Nakanishi S, Yoneda M. Body composition and development of diabetes: A 15-year follow-up study in a Japanese population. *Eur J Clin Nutr*, 2018; 72(3): 374-80

Ukawa S, Tamakoshi A, Murakmai Y, Kiyohara Y, Yamada M, Ngai M, Satoh A, Miura K, Ueshima H, Okamura T, EPOCJ-JAPAN Research Group. Pooled analysis of the associations between body mass index, total cholesterol and liver cancer-related mortality in Japan. *Asian Pac J Cancer Prev*, 2018; 19: 254-9

Wopereis DM, Du Puy RS, van Heemst D, Walsh JP, Bremner A, Bakker SJL, Bauer DC, Cappola AR, Ceresini G, Degryse J, Dullaart RPF, Feller M, Ferrucci L, Floriani C, Franco OH, Iacoviello M, Iervasi G, Imaizumi M, Jukema JW, Khaw KT, Luben RN, Molinaro S, Nauck M, Patel KV, Peeters RP, Psaty BM, Razvi S, Schindhelm RK, van Schoor NM, Stott DJ, Vaes B, Vanderpump MPJ, Völzke H, Westendorp RGJ, Rodondi N, Cobbaert CM, Gussekloo J, den Elzen WPJ; Thyroid Studies Collaboration. The Relation between thyroid function and anemia: A pooled analysis of individual participant data. *J Clin Endocrinol Metab*, 2018; 103(10): 3658-67

Yamada M, Landes RD, Hida A, Ishihara K, Krull KR. Effects of demographic variables on subjective neurocognitive complaints using the Neurocognitive Questionnaire (NCQ) in Japanese aged population: The Radiation Effects Research Foundation Adult Health Study. *Int J Environ Res Public Health* 2019; 16(3). pii: E421. doi: 10.3390/ijerph16030421.

Yoshida K, French B, Yoshida N, Hida A, Ohishi W, Kusunoki Y. Radiation exposure and longitudinal changes in peripheral monocytes over 50 years: The Adult Health Study of

atomic-bomb survivors. *Br J Haematol*, 2019; 185(1):107-15

<In Press>

Kawano N, Yoshida N, Kawano S, Arakawa F, Miyoshi H, Yamada K, Nakashima K, Yoshida S, Kuriyama T, Nakaike T, Tochigi T, Shimokawa T, Yamashita K, Marutsuka K, Mashiba K, Kikuchi I, Ohshima K. Clinical features, pathological features, and treatment outcomes of 22 patients with aggressive adult T-cell leukemia-lymphoma treated with a humanized CCR4 antibody (mogamulizumab) at a single institution during a six-year period (2012-2018). *Intern Med*

Takeuchi M, Miyoshi H, Asano N, Yoshida N, Furuta T, Yanagida E, Yamada K, Muta H, Komaki S, Moritsubo M, Nakata M, Suzuki T, Umeno T, Seto M, Ohshima K. Human leukocyte antigen class II expression is a good prognostic factor of adult T-cell leukemia/lymphoma. *Haematologica*, 2019 Jan 10; doi: 10.3324/haematol. 2018. 205567 [Epub ahead of print]

2) Meeting presentations (January 2018 - December 2018):

Kitamura H. Epidemiological study of health effects in Fukushima emergency workers: Report on trends in the number of study participants and efforts to encourage study participation. 4th Epidemiology Conference for Emergency Workers of Tokyo Electric Power's Fukushima I Nuclear Power Plant. 14 March, 2018, Kitakyushu. [RP 6-15]

Tatsukawa Y, Ohishi W, Kohata M, Yamada M, Yoneda M. Diabetes was associated with significant liver fibrosis in the Japanese population. 100th Annual Meeting of the Endocrine Society. 17-20 March, 2018, Chicago, USA. [RP 6-08, RP 1-15]

Tatsukawa Y, Ohishi W, Kohata M, Yamada M, Yoneda M. Association between prevalence of diabetes and liver fibrosis in a Japanese elderly population. 61st Annual Meeting of the Japan Diabetes Society. 24-26 May, 2018, Tokyo. [RP 6-08, RP 1-15]

Imaizumi M, Sobue T, Taniguchi N, Miyagawa M, Momose T, Yoshinaga S, Kitamura H, Okubo T. Epidemiological study of health effects in Fukushima emergency workers: Focusing on thyroid cancer study. 59th Late A-bomb Effects Research Meeting. 3 June, 2018, Nagasaki. [RP 6-15]

Tatsukawa Y, Yamada M, Ohishi W, Yoneda M. Sarcopenia and prevalence of diabetes in an elderly Japanese population. 40th ESPEN Congress on Clinical Nutrition and Metabolism. 1-4 September, 2018, Madrid, Spain. [RP 2-75, RP 1-15]

Hayashi T, Furukawa K, Yoshida K, Kusunoki Y, Kyoizumi S, Ohishi W. Effects of age and radiation on serum iron and intracellular ROS (H₂O₂) in blood of atomic-bomb survivors. 25th Annual Meeting of the Japanese Society of Immunotoxicology. 18-19 September, 2018, Tsukuba. [RP 3-09, RP 3-07, RP 4-02]

Hayashi T, Furukawa K, Ohishi W, Yoshida K, Kyoizumi S, Kusunoki Y. Effects of age and radiation on the production of reactive oxygen species in blood cells of Hiroshima atomic-bomb survivors. 64th Annual Meeting of the Radiation Research Society. 23-26 September, 2018, Chicago, USA. [RP 3-09, RP 3-07, RP 4-02]

Takahashi N, Murakami H, Ohishi W, Misumi M, Nagamachi A, Inaba T, Tanaka S, Tanaka I, Tsuyama N, Nakamura AJ, Mizuno H. The association between either low-dose or low-dose rate radiation exposure and increasing risk of circulatory diseases--Attempt to infer potential mechanisms underlying the radiation associated circulatory disease. 64th Annual Meeting of the Radiation Research Society. 23-26 September, 2018, Chicago, USA. [RP 1-11, RP 2-12, RP-S1-15]

Yoshida K, French B, Yoshida N, Hida A, Ohishi W, Kusunoki Y. Increases in peripheral blood monocytes among aging atomic-bomb survivors. Cold Spring Harbor Meeting: Mechanisms of Aging. 1-5 October, 2018, New York, USA. [RP 2-75, RP 4-02]

Hayashi T, Furukawa K, Yoshida K, Kusunoki Y, Kyoizumi S, Ohishi W. Effects of age and radiation on atomic bomb survivors' intracellular ROS in blood and serum iron. 61st Annual

Meeting of the Japan Radiation Research Society. 7-9 November, 2018, Nagasaki. [RP 3-09, RP 3-07, RP 4-02]

Takahashi N, Murakami H, Ohishi W, Misumi M, Nagamachi A, Inaba T, Tanaka S, Tanaka I, Tsuyama N, Nakamura AJ, Mizuno H. The association between either low-dose or low-dose rate radiation exposure and increasing risk of circulatory diseases. 61st Annual Meeting of the Japan Radiation Research Society. 7-9 November, 2018, Nagasaki. [RP 1-11, RP 2-12, RP-S1-15]

Ohishi W, Ueda K, Cullings H, Fujiwara S, Suzuki G, Hayashi T, Hida A, Ozasa K, Tahara E. Impact of chronic atrophic gastritis on radiation risk of noncardia gastric cancer. 61st Annual Meeting of the Japanese Radiation Research Society. 7-9 November, 2018, Nagasaki. [RP 2-04]

Yamada M, Landes RD, Hida A, Ishihara K, Krull KR. Evaluation of late-life subjective neurocognition using a Japanese version of the Neurocognitive Questionnaire (NCQ) among childhood atomic bomb survivors. 50th Congress of International Society of Paediatric Oncology. 16-19 November, 2018, Kyoto. [RP 3-11]

Hayashi T, Furukawa K, Yoshida K, Kusunoki Y, Kyoizumi S, Ohishi W. Relationship between intracellular ROS levels in human blood cells and serum ferritin and iron. 41st Annual Meeting of the Molecular Biology Society of Japan. 28-30 November, 2018, Yokohama. [RP 4-02, RP 3-07, RP 3-09]

Hayashi T, Lustig A, Shterev I, Geyer SM, Shi A, Yoshida K, Kyoizumi S, Kusunoki Y, Ohishi W, Weng NP. Effects of aging and radiation exposure on leukocyte telomere length and associated biomarkers among atomic-bomb survivors. 47th Annual Meeting of the Japanese Society for Immunology. 10-12 December, 2018, Fukuoka. [RP 3-09]