

1) **Published and in-press reports:**

<2016>

Haruta D, Akahoshi M, Hida A, Sera N, Imaizumi M, Ichimaru S, Nakashima E, Takahashi I, Ohishi W, Fukae S, Maemura K. Prognostic significance of premature ventricular contractions without obvious heart diseases determined by standard 12-lead electrocardiography considering their morphology. *Ann Noninvasive Electrocardiol*, 2016; 21(2): 142-51

Hayashi T, Hu Y, Yoshida K, Ohishi W, Hida A, Hayashi I, Kyoizumi S, Kusunoki Y, Nakachi K. Radiation-associated breast cancer risk and ATM genotypes among atomic-bomb survivors. *Hiroshima Igaku* [J Hiroshima Med Assoc], 2016; 69(4): 277-80 (in Japanese)

Imaizumi M. Clinical aspects of thyroid. Epidemiology. *Guidebook of thyroidologists*, 2016; pp 43-6 (in Japanese)

Izumi S, Sakata R, Yamada M, Cologne JB. Interaction between a single exposure and age in cohort-based hazard rate models impacted the statistical distribution of age at onset. *J Clin Epidemiol*, 2016; 71: 43-50

Kajimura J, Kyoizumi S, Kubo Y, Misumi M, Yoshida K, Hayashi T, Imai K, Ohishi W, Nakachi K, Weng NP, Young LF, Shieh JH, Moore MA, van den Brink MRM, Kusunoki Y. Relationship between spontaneous γ H2AX foci formation and progenitor functions in circulating hematopoietic stem and progenitor cells among atomic-bomb survivors. *Mutat Res-Gen Tox En*, 2016; 802: 59-65

Kyoizumi S, Kubo Y, Misumi M, Kajimura J, Yoshida K, Hayashi T, Imai K, Ohishi W, Nakachi K, Young LF, Shieh JH, Moore MA, van de Brink MRM, Kusunoki Y. Circulating hematopoietic stem and progenitor cells in aging atomic bomb survivors. *Radiat Res*, 2016; 185(1): 69-76

Lusting A, Shterev I, Geyer S, Shi A, Hu Y, Morishita Y, Nagamura H, Sasaki K, Maki M, Hayashi I, Furukawa K, Yoshida K, Kajimura J, Kyoizumi S, Kusunoki Y, Ohishi W, Nakachi K, Weng N, Hayashi T. Long term effects of radiation exposure on telomere lengths of leukocytes and its associated biomarkers among atomic-bomb survivors. *Oncotarget*, 2016; 7(26): 38988-98

Milder CM, Sakata R, Sugiyama H, Sadakane A, Utada M, Cordova KA, Hida A, Ohishi W, Ozasa K, Grant EJ. Initial report for the Radiation Effects Research Foundation F₁ mail survey. *Asian Pacific J Cancer Prevent*, 2016; 17(3): 1313-23

Nozaki A, Ando T, Akazawa S, Satoh T, Sagara I, Horie I, Imaizumi M, Usa T, Yanagisawa RT, Kawakami A. Quality of life in the patients with central diabetes insipidus assessed by Nagasaki Diabetes Insipidus Questionnaire. *Encocrine*, 2016; 51: 140-7

Okubo T, Akashi M, Ohishi W, Okazaki R, Ozasa K, Kasagi F, Katayama H, Kurihara O, Kodama K, Sasaki H, Suto Y, Sobue T, Taniguchi N, Hiro H. FY2015 Report. *Report of*

Epidemiological Study of Health Effects in Fukushima Emergency Workers, 2016; FY2015: 172p (in Japanese)

Ozasa K, Takahashi I, Grant EJ. Radiation-related risks of non-cancer outcomes in the atomic bomb survivors. *Ann ICRP*, 2016; 45: 253-61

Takamori A, Takahashi I, Kasagi F, Suyama A, Ozasa K, Yanagawa T. Mortality analysis of the Life Span Study (LSS) cohort taking into account multiple causes of death indicated in death certificates. *Radiat Res*, 2016; 187: 1-12

Yamada M, Landes RD, Mimori Y, Nagano Y, Sasaki H. Radiation effects on cognitive function among atomic bomb survivors exposed at or after adolescence. *Am J Med*, 2016; 129(6): 586-91

Yoshida K, Misumi M, Kubo Y, Yamaoka M, Kyoizumi S, Ohishi W, Hayashi T, Kusunoki Y. Long-term effects of radiation exposure and metabolic status on telomere length of peripheral blood T cells in atomic bomb survivors. *Radiat Res*, 2016; 186(4): 367-76

Yoshida K, Nakashima E, Kyoizumi S, Hakoda M, Hayashi T, Hida A, Ohishi W, Kusunoki Y. Metabolic profile as a potential modifier of long-term radiation effects on peripheral lymphocyte subsets in atomic-bomb survivors. *Radiat Res*, 2016; 186(3): 275-82

<In Press>

Hirata T, Sugiyama D, Nagasawa SY, Murakami Y, Saitoh S, Okayama A, Iso H, Irie F, Sairenchi T, Miyamoto Y, Yamada M, Ishikawa S, Miura K, Ueshima H, Okamura T; EPOCH-JAPAN research group. A pooled analysis of the association of isolated low levels of high-density lipoprotein cholesterol with cardiovascular mortality in Japan. *Eur J Epidemiol* 2016

Mitsui F, Ohishi W, Chayama K. Hepatitis C. *JMEDJ Treatment manual 2017* (in Japanese)

Okubo T. An interim report on the 'Epidemiological study on the emergency workers for the TEPCO Fukushima No.1 Nuclear Power Plant accident. (in Japanese)

Takahashi I, Shimizu Y, Grant EJ, Cologne JB, Ozasa K, Kodama K. Heart disease mortality in the Life Span Study, 1950-2008. *Radiat Res*, 2016

<Submitted>

Cologne JB, Haruta D, Takahashi I, French B, Nanri A, Misumi M, Sadakane A, Cullings HM, Araki Y, Mizoue T. Residual weight fluctuation and mortality in a Japanese cohort.

Grant EJ, Cologne JB, Sharp GB, Eguchi H, Stevens RG, Izumi S, Kim YM, Berrington de González A, Ohishi W, Nakachi K. Serum levels of bioavailable estradiol may alter radiation risk of postmenopausal breast cancer.

Imaizumi M, Ohishi W, Nakashima E, Sera N, Neriishi K, Yamada M, Tatsukawa Y, Takahashi I, Fujiwara S, Sugino K, Ando T, Usa T, Kawakami A, Akahoshi M, Hida A. Thyroid dysfunction and autoimmune thyroid diseases among atomic-bomb survivors

exposed in childhood 62-66 years after radiation exposure.

Ozasa K, Takahashi I, Grant EJ, Kodama K. Cardiovascular disease.

Shimizu M, Misumi M, Yamada M, Ohishi W, Yamamoto H, Kihara Y. Choice reaction time and grip strength as predictors of cardiovascular mortality in middle-aged and elderly Japanese: From the Radiation Effects Research Foundation Adult Health Study.

Takagi Y, Sumi M, Hida A, Akahoshi M, Nakamura T. Fatty salivary glands: Clinical importance of fat infiltration in the salivary glands of patients with sicca symptoms.

Takahashi I. Current stroke statistics – Stroke risk for women. (in Japanese)

Takahashi I, Matsumoto M. Hiroshima City Internal Medicine Journal, Clinical lectures. (in Japanese)

Tatsukawa Y, Misumi M, Kim YM, Yamada M, Ohishi W, Fujiwara S, Nakanishi S, Yoneda M. Association of body composition with development of diabetes in a Japanese population.

2) Meeting presentations (January 2016 - December 2016):

Ohishi W. Epidemiological study of health effects in Fukushima emergency workers: Overview of clinical (health examination) study based on experiences in the RERF Adult Health Study. The 2nd Epidemiology Conference for Emergency Workers of Tokyo Electric Power's Fukushima No.1 Power Plant. 11 March, 2016, Kitakyushu.

Tatsukawa Y, Misumi M, Kim YM, Yamada M, Takahashi I, Mitsui F, Ohishi W, Yoneda M. Relationship between body composition and development of diabetes in non-obese Japanese subjects. The Endocrine Society's 98th Annual Meeting & Expo. 1-4 April, 2016, Boston, USA.

Takahashi I, Haruta D, Tokunaga Y, Yamasaki K, Hida A, Ohishi W. Relationship between left ventricular circumferential strain and the ratio of vertical to horizontal diameters in apical short-axis images. The 27th Annual Scientific Meeting of the Japanese Society of Echocardiography. 22-24 April, 2016, Osaka.

Tatsukawa Y, Yamada M, Ohishi W, Yoneda M. Association between prevalence of sarcopenia and prevalence of diabetes. 59th Annual Meeting of the Japan Diabetes Society. 19-21 May, 2016, Kyoto.

Takahashi I. Study of asymptomatic peripheral artery disease among the Atomic bomb survivors. The 16th Clinical conference of blood pressure and pulse wave. 4 June, 2016, Tokyo.

Fujiwara S, Masunari N, Takahashi I, Ohishi W. Height loss starting in middle age predicts increased fracture risk in elderly men and women – Hiroshima Cohort-. The 18th Annual Meeting of Japan Osteoporosis Society. 6-8 October, 2016, Sendai.

Kitamura H, Kodama K, Okubo T. Epidemiological study of health effects in Fukushima nuclear emergency workers – study design and progress report. UNSCEAR technical events in Japan to present the highlights of UNSCEAR reports on levels and effects of radiation exposure due to the Fukushima accident. 14-15 November, 2016, Tokyo.