1) Published and in-press reports:

<2016-Current>

Akter S, Kashino I, Mizoue T, Matsuo K, Ito H, Wakai K, Nagata C, Nakayama T, <u>Sadakane A</u>, Tanaka K, Tamakoshi A, Sugawara Y, Sawada N, Inoue M, Tsugane S, Sasazuki S, for the Research Group for the Development and Evaluation of Cancer Prevention Strategies in Japan. Coffee drinking and colorectal cancer risk: an evaluation based on a systematic review and meta-analysis among the Japanese population. *Jpn J Clin Oncol*, 2016; 46:781-7

Cullings HM, Grant EJ, Egbert SD, Watanabe T, Oda T, Nakamura F, Yamashita T, Fuchi H, Funamoto S, Marumo K, <u>Sakata R</u>, Kodama Y, <u>Ozasa K</u>, Kodama K. DS02R1: Improvements to atomic bomb survivors' input data and implementation of Dosimetry System 2002 (DS02) and resulting changes in estimated doses. *Health Phys*, 2017; 112(1):56-97

Ishikawa T, Yasumura S, Ohtsuru A, Sakai A, Akahane K, Yonai S, <u>Sakata R</u>, <u>Ozasa K</u>, Hayashi M, Ohira T, Kamiya K, Abe M. An influential factor for external radiation dose estimation for residents after the Fukushima Daiichi Nuclear Power Plant accident-time spent outdoors for residents in litate Village. *J Radiol Prot* 2016; 36(2):255-68.

Izumi S, <u>Sakata R</u>, Yamada M, Cologne JB. Interaction between a single exposure and age in cohort-based hazard rate models impacted the statistical distribution of age at onset. *J Clin Epidemiol*, 2016; 71:43-50.

Kaneko M, <u>Sugiyama H, Ozasa K, Utada M,</u> Arita K, Kajihara H, Yonehara S, Takeshima Y, Kamada N, Yasui W. Time trend of esophageal tumor by histological type based on the Hiroshima Prefecture Tissue Registry (1973-2008). *JACR Monograph*, 2016; 22:28-37 (in Japanese)

Kondo H, <u>Soda M</u>, Yokota K, Mine M. Association between the effects of exposure status for the incidence rates of cancer and age at bombing. *Hiroshima Igaku [J Hiroshima Med Assoc]*, 2016; 69(4):374-6 (in Japanese)

Masaoka H, Matsuo K, Ito H, Wakai K, Nagata C, Nakayama T, <u>Sadakane A</u>, Tanaka K, Tamakoshi A, Sugawara Y, Mizoue T, Sawada N, Inoue M, Tsugane S, Sasazuki S for the Research Group for the Development and Evaluation of Cancer Prevention Strategies in Japan. Cigarette smoking and bladder cancer risk: An evaluation based on a systematic review of epidemiologic evidence in the Japanese population. *Jpn J Clin Oncol*, 2016; 46(3):273-83

Milder CM, <u>Sakata R</u>, <u>Sugiyama H</u>, <u>Sadakane A</u>, <u>Utada M</u>, Cordova KA, Hida A, Ohishi W, <u>Ozasa K</u>, Grant EJ. Initial report for the Radiation Effects Research Foundation F₁ Mail Survey. *Asian Pac J Cancer Prev*, 2016; 17(3):1313-23

Nakagawa H, Ito H, Hosono S, Oze I, Mikami H, Hattori M, Nishino Y, <u>Sugiyama H</u>, Nakata K, Tanaka H. Changes in trends in colorectal cancer incidence rate by anatomic site between 1978 and 2004 in Japan. *Eur J Cancer Prev*, 2016(May 4) [Epub ahead of print]

LIST OF PUBLICATIONS AND MEETING PRESENTATIONS

Department of Epidemiology Page 2

Ozasa K. Epidemiological research on radiation-induced cancer in atomic bomb survivors. *J Radiat Res*, 2016;57(1 Suppl i)112-7

Ozasa K. Long-term health effects of the atomic-bomb radiation. *Hiroshima Igaku [J Hiroshima Med Assoc]*, 2016; 69(4):253-8 (in Japanese)

Ozasa K, Sakata R, Cullings HM, Grant EJ. Association of acute radiation syndromes and rain after the bombings in the atomic-bomb survivors. *Radiat Res*, 2016; 185(6):604-15

Ozasa K, Takahashi I, Grant EJ. Radiation-related risks of non-cancer outcomes in the atomic-bomb survivors. *Ann ICRP*, 2016; 45(1 Suppl):253-61

<u>Takamori A, Takahashi I, Kasagi F, Suyama A, Ozasa K, Yanagawa T. Mortality analysis of the Life Span Study (LSS) cohort taking into account multiple causes of death indicated in death certificates. *Radiat Res*, 2016(December 19); 187. [online ahead of print]</u>

Toyota S, Kuwabara M, Kaseda S, Tsuya T, Yamasaki M, Noma J, Fujimoto M, Tsumura H, Ishida H, Haruta D, Kishikawa N, Koike T, Ichiku N, Hara E, Kamigochi K, Tsuchiya A, Ishigami T, Kuroki S, Yuta M, Matsuyama K, <u>Sadakane A</u>, Oda T. Report on the results of the 20th medical examination of atomic bomb survivors resident in North America. *Hiroshima Igaku [J Hiroshima Med Assoc]*; 69(5):387-414 (in Japanese)

<In Press>

Cahoon EK, Preston DL, Pierce DA, Grant EJ, Brenner AV, Mabuchi K, <u>Utada M, Ozasa K</u>. Lung, Laryngeal, and Other Respiratory Cancer Incidence among Japanese Atomic Bomb Survivors: An Updated Analysis from 1958 through 2009. *Radiat Res*.

Grant EJ, Brenner A, <u>Sugiyama H, Sakata R, Sadakane A, Utada M</u>, Cahoon EK, Milder CM, <u>Soda M</u>, Cullings HM, Preston DL, Mabuchi K, <u>Ozasa K</u>. Solid cancer incidence among the Life Span Study of atomic bomb survivors: 1958-2009. *Radiat Res*.

International Agency for Research on Cancer [contributors: <u>Ozasa K</u>, <u>Sugiyama H</u>, Katayama H, Tokinobu H, Matsumura M, Yamada H, Tsuya T, Takeshima Y, Kajihara H, Hiramatsu K] Hiroshima prefecture cancer registry, 2008-2012. In: Cancer Incidence in Five Continents Vol. XI.

International Agency for Research on Cancer [contributors: <u>Soda M</u>, Sekine I, Makimoto Y, Nakashima M, <u>Ozasa K</u>] Nagasaki prefecture cancer registry, 2008-2012. In: Cancer Incidence in Five Continents Vol. XI.

<u>Takahashi I</u>, Shimizu Y, Grant EJ, Cologne JB, <u>Ozasa K</u>, Kodama K. Heart disease mortality in the Life Span Study, 1950-2008. *Radiat Res*.

<Submitted>

Cologne JB, Haruta D, <u>Takahashi I</u>, French B, Nanri A, Misumi M, <u>Sadakane A</u>, Cullings HM,

LIST OF PUBLICATIONS AND MEETING PRESENTATIONS

Department of Epidemiology

Page 3

Araki Y, Mizoue T. Residual weight fluctuation associated with total and ischemic heart disease mortality in a Japanese cohort.

French B, Cologne JB, <u>Sakata R</u>, <u>Utada M</u>, Preston DL. Selection of reference groups in cohort studies.

Lubin JH et al. (RERF: <u>Sakata R</u>). Thyroid cancer following childhood low dose radiation exposure: a pooled analysis of nine cohorts.

Ozasa K, Takahashi I, Grant EJ, Kodama K. Cardiovascular Disease among Atomic Bomb Survivors.

2) <u>Meeting Presentations (January 2016-December 2016):</u>

Cullings HM, <u>Grant EJ</u>. A spatial hierarchical model for Hiroshima TLD measurements, 20th Hiroshima International Symposium, 10-11 January 2016, Hatsukaichi

<u>Sakata R, Milder CM, Utada M, Sadakane A, Grant EJ, Ozasa K.</u> The changes in mean age at menarche observed among women born between 1900 and 1945, 26th Annual Scientific Meeting of the Japan Epidemiological Association, 21-23 January 2016, Yonago

<u>Utada M, Sugiyama H, Soda M, Sadakane A, Sakata R, Grant EJ, Ozasa K</u>. Validation of histological type of lung cancer by comparison between pathological review and cancer registry, 26th Annual Scientific Meeting of the Japan Epidemiological Association, 21-23 January 2016, Yonago

Grant EJ, Ozasa K, Cullings HM. DS02R1: Improvements to atomic bomb survivors' input data and implementation of Dosimetry System 2002 (DS02) and resulting changes in estimated doses, 14th International Congress of International Radiation Protection Association (IRPA), 9-13 May 2016, Cape Town, South Africa

Grant EJ, <u>Ozasa K</u>. Solid cancer incidene among the Life Span Study of atomic bomb survivors: 1958-2009, 14th International Congress of International Radiation Protection Association (IRPA), 9-13 May 2016, Cape Town, South Africa

Yonehara S, Nishisaka T, Nakashima M, <u>Sadakane A</u>, <u>Ozasa K</u>. Female breast cancers among the atomic bomb survivors, 105th Annual Meeting of the Japanese Society of Pathology, 12-14 May 2016, Sendai

<u>Utada M, Sugiyama H, Matsuda T, Ozasa K.</u> Quality control standards for cancer registry, 25th Annual Meeting on Japanese Association of Cancer Registries, 2-3 June 2016, Kanazawa

Grant EJ, <u>Ozasa K</u>. Risk of death among the children of the atomic bomb survivors: An update after 62 years of follow-up, Conference of International Society for Environmental Epidemiology and International Society of Exposure Science - Asia Chapter 2016 (ISEE-ISES

LIST OF PUBLICATIONS AND MEETING PRESENTATIONS

Department of Epidemiology Page 4

AC2016), 26-29 June 2016, Sapporo

Grant EJ, Brenner AV, <u>Sugiyama H, Sakata R, Sadakane A, Utada M,</u> Cahoon EK, Milder CM, <u>Soda M,</u> Cullings HM, Preston DL, Mabuchi K, <u>Ozasa K</u>. Solid cancer incidence among the Life Span Study of atomic bomb survivors: 1958-2009, 41st Annual Meeting of the Chugoku Area Radiation Research Society, 26 July 2016, Hiroshima

Grant EJ, Furukawa K, <u>Sakata R</u>, <u>Sugiyama H</u>, <u>Sadakane A</u>, <u>Takahashi I</u>, <u>Utada M</u>, Shimizu Y, <u>Ozasa K</u>. Risk of death among children of atomic bomb survivors after 62 years of follow-up: A cohort study, 41st Annual Meeting of the Chugoku Area Radiation Research Society, 26 July 2016, Hiroshima

<u>Ozasa K.</u> Current research on non-cancer diseases in atomic bomb survivors, Joint RERF-ICRP Workshop on Health Risk on Radiation and the System of Radiological Protection, 9 October 2016, Tokyo

Grant EJ, Brenner AV, <u>Sugiyama H, Sakata R, Sadakane A, Utada M,</u> Cahoon EK, Milder CM, <u>Soda M,</u> Cullings HM, Preston DL, Mabuchi K, <u>Ozasa K</u>. Solid cancer incidence among the Life Span Study of atomic bomb survivors: 1958-2009, Joint RERF-ICRP Workshop on Health Risk on Radiation and the System of Radiological Protection, 9 October 2016, Tokyo

Ozasa K. Cardiovascular disease among atomic bomb survivors, Conference on Radiation and Health, 15-17 October 2016, Waikoloa, Hawaii, USA,

Cullings HM, Grant EJ, Watanabe T, Oda T, Funamoto S, <u>Ozasa K</u>, Kodama K. DS02R1 dose estimates resulting from improved location and terrain shielding data for the Japanese atomic bomb survivors and adjustment for dose uncertainty, Conference on Radiation and Health, 15-17 October 2016, Waikoloa, Hawaii, USA,

<u>Sakata R</u>, Rajaraman P, Gilbert ES, Grant EJ, Mabuchi K, <u>Ozasa K</u>, RERF-NCI Research Group. Radiation risks of oral cavity and pharynx, esophageal and stomach cancers among atomic-bomb survivors, Conference on Radiation and Health, 15-17 October 2016, Waikoloa, Hawaii, USA,

<u>Sadakane A</u>, French BC, Grant EJ, Mabuchi K, <u>Ozasa K</u>, RERF-NCI Research Group. Liver cancer incidence in atomic bomb survivors, Conference on Radiation and Health, 15-17 October 2016, Waikoloa, Hawaii, USA,

<u>Utada M</u>, Grant EJ, Mabuchi K, <u>Ozasa K</u>, RERF-NCI Research Group. Radiation risk of uterine cancer in the cohort of atomic-bomb survivors, Conference on Radiation and Health, 15-17 October 2016, Waikoloa, Hawaii, USA,

Grant EJ, Brenner AV, <u>Sugiyama H, Sakata R, Sadakane A, Utada M,</u> Cahoon E, Milder CM, <u>Soda M,</u> Cullings HM, Prentice RL, Mabuchi K, <u>Ozasa K</u>. Solid cancer incidence among the Life Span Study of atomic bomb survivors: 1958-2009, Conference on Radiation and Health, 15-17 October 2016, Waikoloa, Hawaii, USA,

LIST OF PUBLICATIONS AND MEETING PRESENTATIONS Department of Epidemiology

Page 5

<u>Sugiyama H</u>, Misumi M, Grant EJ, Preston DL, Mabuchi K, <u>Ozasa K</u>, RERF-NCI Research Group. Colon cancer incidence among atomic bomb survivors between 1958 and 2009, Conference on Radiation and Health, 15-17 October 2016, Waikoloa, Hawaii, USA,

Ohishi W, Ueda K, Cullings HM, Fujiwara S, Mitsui F, Ozasa K, Suzuki G, Tahara E. Impact of chronic atrophic gastritis on radiation risk of noncardia gastric cancer, 62nd Annual Meeting of the Radiation Research Society, 16-19 October 2016, Waikoloa, Hawaii, USA,